

<b>CLUPEIDAE</b>	<b>Spring</b>	<b>Summer</b>	<b>Autumn</b>	<b>Winter</b>
<i>Sardina pilchardus</i> (Walbaum, 1972)	+	+	+	+
<i>Sprattus sprattus</i> (Linnaeus, 1758)	+	+		+
<b>ENGRAULIDAE</b>				
<i>Engraulis encrasicolus</i> (Linnaeus, 1758)	+	+	+	+
<b>GONOSTOMATIDAE</b>				
<i>Cylothone braueri</i> Jespersen & Taning, 1926		+		
<b>STERNOPTYCHIDAE</b>				
<i>Maurolicus muelleri</i> (Gmelin, 1788)	+	+	+	+
<b>STOMIIDAE</b>				
<i>Stomias boa</i> (Risso, 1810)	+			
<b>ARGENTINIDAE</b>				
<i>Argentina shyraena</i> Linnaeus, 1758	+	+		+
<b>MYCTOPHIDAE</b>				
<i>Benthosema glaciale</i> (Reinhardt, 1837)	+	+	+	
<i>Cerastocopelus mederensis</i> (Lowe, 1839)	+	+		
<i>Diogenichthys atlanticus</i> (Taning, 1928)	+	+	+	+
<i>Electrona risso</i> (Cocco, 1829)	+			
<i>Myctophum punctatum</i> Rafinesque, 1810	+	+	+	+
<i>Notolychnus valdiviae</i> (Brauer, 1904)			+	
<b>PARALEPIDIDAE</b>				
<i>Magnisudis atlantica</i> Kroyer, 1868	+	+	+	+
<i>Paralepis coregonoides</i> Risso 1820	+	+		
<b>ANGUILLIDAE</b>				
<i>Anguilla anguilla</i> (Linnaeus, 1758)	+			+
<b>MURAENIDAE</b>				
<i>Muraena helena</i> Linnaeus, 1758			+	
<b>CONGRIDAE</b>				
<i>Conger conger</i> (Linnaeus, 1758)		+		
<b>OPHICHTIDAE</b>				
<i>Ophisurus serpens</i> (Linnaeus, 1758)			+	
<b>BELONIDAE</b>				
<i>Belone belone</i> (Linnaeus, 1761)	+	+		+
<b>MACRORHAMPHOSIDAE</b>				
<i>Macrorhamphosus scolopax</i> Linnaeus, 1758	+			+
<b>SYNGNATHIDAE</b>				
<i>Entelurus aequoraesus</i> (Linnaeus, 1758)	+			
<i>Hippocampus hippocampus</i> (Linnaeus, 1758)	+	+		
<i>Hippocampus guttulatus</i> Cuvier, 1829	+	+	+	
<i>Nerophis lumbriciformis</i> (Jenyns, 1835)	+	+		
<i>Nerophis ophidion</i> (Linnaeus, 1758)	+	+	+	
<i>Syngnathus abaster</i> Risso, 1826	+	+	+	+
<i>Syngnathus acus</i> Linnaeus, 1758	+	+	+	
<i>Syngnathus typhle</i> Linnaeus, 1758	+	+		
<b>MERLUCCIDAE</b>				
<i>Merluccius merluccius</i> Linnaeus, 1758	+			
<b>GADIDAE</b>				
<i>Ciliata mustela</i> (Linnaeus, 1758)				+
<i>Gadiculus argenteus</i> Guichenot, 1850	+	+	+	
<i>Micromessistius poutassou</i> (Risso, 1826)	+			+
<i>Pollachius pollachius</i> (Linnaeus, 1758)	+			+

<i>Trisopterus luscus</i> (Linnaeus, 1758)	+			+
<i>Trisopterus minutus</i> (Linnaeus, 1758)		+		
<b>ZEIDAE</b>				
<i>Zeus faber</i> Linnaeus, 1758		+	+	
<b>CAPROIDAE</b>				
<i>Capros aper</i> (Linnaeus, 1758)			+	
<b>SERRANIDAE</b>				
<i>Serranus cabrilla</i> (Linnaeus, 1758)		+	+	
<b>MORONIDAE</b>				
<i>Dicentrarchus labrax</i> (Linnaeus, 1758)	+			+
<b>CEPOLIDAE</b>				
<i>Cepola macrophthalmalma</i> Linnaeus, 1766	+	+	+	+
<b>CARANGIDAE</b>				
<i>Trachurus trachurus</i> (Linnaeus, 1758)	+	+	+	+
<b>MULLIDAE</b>				
<i>Mullus surmuletus</i> Linnaeus, 1758	+			
<b>SPARIDAE</b>				
<i>Boops boops</i> (Linnaeus, 1758)	+			
<i>Diplodus sargus</i> (Linnaeus, 1758)	+	+	+	+
<i>Pagellus bogaraveo</i> (Brünnich, 1768)	+			
<i>Pagrus pagrus</i> (Linnaeus, 1758)	+			
<i>Spondylisoma cantharus</i> (Linnaeus, 1758)	+			
<b>CENTRACANTHIDAE</b>				
<i>Centracanthus cirrus</i> Rafinesque, 1810				+
<b>LABRIDAE</b>				
<i>Centrolabrus exoletus</i> (Linnaeus, 1758)	+	+		
<i>Coris julis</i> (Linnaeus, 1758)	+	+		
<i>Ctenolabrus rupestris</i> (Linnaeus, 1758)	+	+		
<i>Labrus bergylta</i> Ascanius, 1767	+	+		
<i>Labrus mixtus</i> Linnaeus, 1758	+	+		
<i>Labrus merula</i> Linnaeus, 1758				
<i>Symphodus melops</i> (Linnaeus, 1758)	+	+	+	+
<b>AMMODYTIDAE</b>				
<i>Ammodytes tobianus</i> Linnaeus, 1758	+			+
<i>Gymnammodytes semisquamatus</i> (Jourdain, 1879)	+			+
<i>Hyperoplus lanceolatus</i> (Le Sauvage, 1824)	+			
<b>TRACHINIDAE</b>				
<i>Echiichthys vipera</i> (Cuvier, 1829)	+	+	+	+
<i>Trachinus draco</i> Linnaeus, 1758			+	
<b>SCOMBRIDAE</b>				
<i>Scomber scombrus</i> (Linnaeus, 1758)				+
<i>Scomber japonicus</i> Houttuyn, 1782	+		+	
<b>GOBIIDAE</b>				
<i>Aphia minuta</i> (Risso, 1810)				+
<i>Crystallogobius linearis</i> (von Düben, 1845)		+		
<i>Gobius xanthocephalus</i> Heymer & Zander, 1992	+	+		
<i>Gobius cobitis</i> Pallas, 1814	+	+		
<i>Gobius cruentatus</i> Gmelin, 1789		+		
<i>Gobius niger</i> Linnaeus, 1758	+	+		
<i>Gobius paganellus</i> Linnaeus, 1758	+			
<i>Gobiusculus flavescens</i> (Fabricius, 1779)	+	+		

<i>Lebetus guilleleti</i> (Le Danois, 1913)	+	+	+	+
<i>Lebetus scorpioides</i> (Collet, 1874)			+	
<i>Pomatoschistus minutus</i> (Pallas, 1770)	+	+	+	+
<i>Pomatoschistus pictus</i> (Malm, 1865)	+	+	+	
<i>Pomatoschistus microps</i> (Kroyer, 1838)	+	+		
<b>CALLIONYMIDAE</b>				
<i>Callionymus lyra</i> Linnaeus, 1758	+	+		+
<i>Callionymus maculatus</i> Rafinesque-Schmaltz, 1810	+			
<b>BLENNIIDAE</b>				
<i>Blennius ocellaris</i> Linnaeus, 1758	+		+	+
<i>Coryphoblennius galerita</i> (Linnaeus, 1758)	+	+		+
<i>Lipophrys pholis</i> (Linnaeus, 1758)	+	+	+	+
<i>Lipophrys trigloides</i> (Valenciennes, 1836)	+	+		
<i>Parablennius gattorugine</i> (Brünnich, 1768)	+	+	+	+
<i>Parablennius pilicornis</i> (Cuvier, 1829)	+	+		
<b>CARAPIDAE</b>				
<i>Carapus acus</i> (Brunnich, 1768)		+	+	+
<b>MUGILIDAE</b>				
<i>Mugil cephalus</i> Linnaeus, 1758	+		+	+
<b>ATHERINIDAE</b>				
<i>Atherina presbyter</i> Cuvier, 1829	+	+		+
<b>TRIGLIDAE</b>				
<i>Trigla lucerna</i> Linnaeus, 1758	+	+	+	+
<b>COTTIDAE</b>				
<i>Taurulus bubalis</i> (Euphrasen, 1768)	+			
<b>LIPARIDAE</b>				
<i>Liparis montagui</i> (Donovan, 1804)	+	+		+
<b>SCOPHTHALMIDAE</b>				
<i>Psetta maxima</i> (Linnaeus, 1758)	+	+		
<i>Lepidorhombus boscii</i> (Risso, 1810)				+
<i>Zeugopterus regius</i> (Bonnaterre, 1788)		+		
<i>Zeugopterus punctatus</i> (Bloch, 1787)	+	+		+
<b>BOTHIDAE</b>				
<i>Arnoglossus laterna</i> (Walbaum, 1792)	+	+	+	+
<b>PLEURONECTIDAE</b>				
<i>Platichthys flesus</i> (Linnaeus, 1758)	+			+
<b>SOLEIDAE</b>				
<i>Buglossidium luteum</i> (Risso, 1810)	+	+	+	
<i>Microchirus variegatus</i> (Donovan, 1808)	+	+		+
<i>Solea lascaris</i> (Risso, 1810)	+	+		+
<i>Solea senegalensis</i> Kaup, 1858	+	+	+	+
<i>Solea vulgaris</i> Quensel, 1806	+	+	+	+
<b>GOBIESOCIDAE</b>				
<i>Diplecogaster bimaculata</i> (Bonnaterre, 1788)	+	+		
<i>Lepadogaster lepadogaster</i> (Bonnaterre, 1788)		+		
<b>LOPHIIDAE</b>				
<i>Lophius piscatorius</i> Linnaeus, 1758	+			+